

SAFETY DATA SHEET

1. Identification of the substance/preparation and company

Flowshield CR Filler C **Product Name:**

Quartz blend component of a multi component epoxy resin floor finish. Application:

Mixed product is applied using a trowel.

Flowcrete SA (Pty) Ltd Manufacturer:

176 Voortrekker Street

Jacobs 4052

Telephone Number: (031) 461 3411

2. Composition/information on constituents

Chemical Name	EINECS No.	CAS No.	% by weight	Symbols and Risk Phrases
Respirable crystalline silica (in silica sands)	-	-	trace	Xn; R48:R20
Silica sands	238-878- 4	14808-60-7	> 85	None

See section 16 Additional information, for full text regarding symbols and Risk phrases.

3. Hazards Identification

Not classified as hazardous, possibility of dust generation on handling.

4. First Aid measures

Inhalation : If irritation occurs, move to fresh air.

Skin

Wash with soap and plenty of water.

contact

Eye Hold eyelids apart and immediately flush with plenty of water for at least 15

Contact

minutes. Seek medical attention.

Ingestion : Wash out mouth, do not swallow mouthwash.

5. Fire-fighting measures

This product is not flammable and will not facilitate combustion with other materials.

6. Accidental release measures

Personal precautions Use personal protective equipment as detailed in Section 8.

Methods for cleaning

up

Minimise generation of airborne dust. Shovel into suitable container.

Ref: CHIP300380

Dispose in accordance with Section 13.

7. Handling and storage

Handling : Use personal protective equipment as detailed in Section 8.

Handle and open container with care, avoid creating dust.

Storage: Keep containers closed and store in a dry, cool, well-ventilated place.

8. Exposure controls/personal protection

Occupational Exposure Standard for dust, Total inhalable dust: 10mg/m³ 8h TWA (8 hour time

weighted average)

Respirable dust : 4 mg/m³ 8h TWA

Maximum exposure limit for Silica, respirable crystalline dust: 0.1mg/m³ 8h TWA (CHAN)

Engineering measures to reduce exposure : N/A

Personal protective equipment :

Respiratory: Wear a particulate dust mask.

protection

Eye protection : Goggles or face mask.

Skin and body : PVC gloves and overalls.

protection

9. Physical and chemical properties

Appearance : Granular and coloured Vapour pressure : Not applicable

Odour : None Relative Density : 2.65

Boiling Point : Not applicable Water solubility : insoluble
Flashpoint : Not applicable (not Water miscibility : Not applicable

flammable)

Explosion : Not applicable

limits

10. Stability and reactivity

Material is stable when stored under normal dry conditions.

Conditions to avoid : None
Materials to avoid : None
Hazardous decomposition : None

products

11. Toxicological information

Coloured Quartzes are not classified as hazardous in accordance with EC regulations.

Further information

: In the UK, the HSE has issued a CHAN (Chemical Hazard Alert Notice 35) for respirable crystalline silica, with the recommendation that exposure levels be kept down to 0.1 mg/m³. Current evidence indicates that if workers are exposed regularly to 0.3mg/m³ there is a much greater risk of lung damage

than had been previously thought. Respirable crystalline silica dust may cause silicosis, a lung disease. Long term

exposures to high levels of respirable crystalline silica can also lead to an increased risk of developing lung cancer.

12. Ecological information

Ecotoxicity : LC₅₀ aquatic toxicity rating not determined.

Biodegradation : Resistant.

Additional ecological information : This is a non-volatile and insoluble material and will accumulate in the

ground.

13. Disposal considerations

Unused Product/waste from

cleaning etc.

: Dispose unused material as builders waste, in accordance

with local and national regulations.

Contaminated packaging : Treat as for unused material.

14. Transport information

Not classified as hazardous for transport.

15. Regulatory information

Classification according to EEC directive: Not classified. **Hazard Symbols - None**

S-phrases

Wear suitable protective clothing, gloves and eye/face protection. S36/37/

Special provisions

: None

: None.

statement

Hazardous component(s)

which must be listed on the

label

EC Directives: Dangerous Substances Directive, 67/548/EEC & adaptations

> Dangerous Preparations Directive, 88/379/EEC Safety Data Sheets Directive, 91/155/EEC

Statutory Instruments: Chemicals (Hazard Information & Packaging for Supply) Regs 2002.

Control of Substances Hazardous to Health Regs 2002 Environmental Protection (Duty of Care) Regs. 1991.

Codes of Practice Waste Management. The Duty of Care.

Approved classification and labelling guide (Fifth edition), L131.

The compilation of safety data sheets (Third edition).

Guidance Notes Occupational Exposure Limits EH40

CHIP for Everyone HSG(108)

Respirable Crystalline Silica: Phase 1 (EH75/4)

Construction Information Sheet No 36 (revision 1) CIS36(rev1) - Silica

Chemical Hazard Alert Notice 35 - Respirable Crystalline Silica

16. Other Information

This safety data sheet has been prepared in accordance with CHIP3. The provision of Safety data sheets comes under Regulation 6 of CHIP (CHIP is the recognised abbreviation for the Chemicals, Hazard Information and Packaging Regulations). This is in addition to the Health and Safety at Work Act 1974.

Users of our products should take appropriate measures to ensure working practices are in accordance with the Control of Substances Hazardous to Health Regulations (COSHH). This data sheet does not replace the obligation of the user to provide their own assessment of workplace risk as required by other Health & Šafety legislation.

EC Directive relating to the classification, packaging and labelling of dangerous substances and preparations –

Classification(s) and Risk (R) phrase(s) referred to in this document:

Xn : Harmful

R48:R2 : Harmful : danger of serious damage to health by prolonged exposure through inhalation.

0

Training Advice

Applicators need to be trained in:-Handling and hygiene associated with use of industrial chemicals. Correct cleaning and disposal methods.

Notes

Beware of cross contamination where different products are in use in the same location.

This safety data sheet is based on our present knowledge and experience and is intended to serve as a guide for safe handling of the product regarding to health and environmental aspects.

Flowshield CR Filler C.doc

Date printed 18 August, 2008

Page 4 of 4

Ref: CHIP300380