

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME FLOWTEX HT ACTIVATOR

Epoxy screed

MSDS REVISION NUMBER

MANUFACTURER Flowcrete SA (Pty) Ltd

176 Voortrekker Street

Jacobs 4052

1

TELEPHONE NUMBER (031) 461 3411

EMERGENCY TELEPHONE NUMBER(S) Rob Weyers

(031) 461 3411

SYNONYMS None

CHEMICAL FAMILY Cycloaliphatic polyamine

UN NUMBER 1760

PREPARED 27 August 2001

SECTION 2 - COMPOSITION

HAZARDOUS COMPONENTS 1. Isophorone diamine

2. Benzyl alcohol

HAZARD LABELS Corrosive

R - PHRASES R 21 / 22 / 34 / 36 / 38 / 52 / 53 **S - PHRASES R** 21 / 22 / 34 / 36 / 38 / 52 / 53 **S** 1 / 2 / 26 / 28 / 36 / 37 / 39 / 45 / 61

.....

SECTION 3 - HAZARDS IDENTIFICATION

FLAMMABILITY 4 - Minimal

HEALTH EFFECTS - EYESCorrosive to eyes. Can cause irreversible

damage.

Severe eye irritant.

HEALTH EFFECTS - SKINCorrosive to skin. Can cause burns.

Severe skin irritant.

May cause skin sensitisation.

HEALTH EFFECTS - INGESTION Harmful if swallowed.

HEALTH EFFECTS - INHALATION Severe respiratory tract irritant.

SECTION 4 - FIRST AID MEASURES

EYE CONTACT Hold eye lids apart and immediately flush

with plenty of water for at least 15 minutes. Seek medical attention immediately.

SKIN CONTACT Rinse thoroughly with plenty of soap and

water. Remove contaminated clothing and shoes. Seek medical attention if irritation

persists.

INGESTION Immediately give plenty of water. Rinse

mouth thoroughly with water. Do not induce vomiting. Seek medical attention

immediately.

INHALATION Move to fresh air. If breathing has stopped

or is laboured, give assisted respiration.

Seek medical attention immediately.

SECTION 5 - FIRE FIGHTING MEASURES

FIRE RATING 4 - Minimal

PERSONAL PROTECTIVE EQUIPMENT Self-contained breathing apparatus and

protective suit.

EXTINGUISHING MEDIA High volume water jet.

.....

SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS Wear long sleeved clothing, boots, gloves,

and eye protection.

ENVIRONMENTAL PRECAUTIONSContain or dyke the entire perimeter of the

contaminated area. Ensure that the spilled material does not enter any drains, surface or

ground water.

SPILL CLEAN-UP PROCEDURE Working from the outer circumference of

the contained spill area, absorb the product with sand or sawdust. Collect and place the contaminated materials in an approved disposal container. Dispose of contaminants in accordance with the Local and National By-laws. Should the spill exceed the inhouse capabilities, call a spill responder

immediately.

SECTION 7 - HANDLING AND STORAGE

STORAGE Keep in cool, dry, ventilated storage and in

closed containers.

HANDLING Avoid contact with skin and eyes. Do not

ingest or inhale. When handling, do not eat,

drink or smoke.

SECTION 8 - PERSONAL PROTECTION / EXPOSURE CONTROLS

EYE PROTECTION Wear chemical safety glasses or goggles.

Provide readily accessible eye wash stations.

SKIN PROTECTION Wear long sleeved clothing, gloves, and

boots. Provide readily accessible safety

showers.

RESPIRATORY PROTECTIONWear suitable breathing apparatus when

there is inadequate ventilation.

INGESTION PROTECTION Wash before eating, drinking or smoking.

Observe the rules of hygiene.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM Mobile liquid COLOUR Pale yellow **ODOUR** Slight рH N/A **BOILING POINT** > 200°C MELTING POINT No data FLASH POINT $> 100^{\circ}$ C FLAMMABILITY 4 - Minimal VAPOUR PRESSURE No data VISCOSITY 60 - 85 s FC41.00

SPECIFIC GRAVITY 1.00 SOLUBILITY IN WATER Slight

SECTION 10 - STABILITY AND REACTIVITY

CHEMICAL STABILITY Stable

CONDITIONS TO AVOID Excessive heating over long periods of time

degrades the product.

INCOMPATIBLE MATERIALS Strong oxidising substances

Strong acids Strong alkalis

HAZARDOUS DECOMPOSITION PRODUCTS Carbon oxides

Nitrogen oxides

Burning produces obnoxious and toxic

fumes.

SECTION 11 - TOXICOLOGICAL PROPERTIES

ACUTE ORAL TOXICITY (LD50, RAT) > 1000 mg / kg

ACUTE DERMAL TOXICITY (LD50, RABBIT) No data

ACUTE INHALATION TOXICITY (LD50, RAT) No data

EYE AND SKIN CONTACT Corrosive to eyes and skin. Severe eye and

skin irritant. Repeated exposure may cause

skin sensitisation.

CARCINOGENICITY Not a known carcinogen.

SECTION 12 - ECOLOGICAL INFORMATION ______ Material is expected to cause long term adverse effects in the aquatic environment. This product is not readily biodegradable. **SECTION 13 - DISPOSAL CONSIDERATIONS** ______ WASTE DISPOSAL Use a reputable waste disposal contractor. Waste disposal measures must comply with all Local and National By-laws. SECTION 14 - TRANSPORT INFORMATION ------**UN NUMBER** 1760 IMO SHIPPING NAME Corrosive liquid, N.O.S. IMO CLASS AND DANGER GROUP Class 8, Danger Group III IMO SUBSIDIARY RISK(S) None **SECTION 15 - REGULATORY INFORMATION** ______ RISK (R) PHRASES R 21 / 22 - Harmful in contact with skin and if swallowed. R 34 - Causes burns. R 36 / 38 - Irritating to eyes and skin. R 43 - May cause sensitisation by skin contact. R 52 / 53 - Harmful to aquatic organisms, may cause long term adverse effects in the aquatic environment. **SAFETY (S) PHRASES** S 1 / 2 - Keep locked up and out of reach of children. S 26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 28 - After contact with skin, wash

immediately with plenty of water and soap.

S 36 / 37 / 39 - Wear suitable protective clothing, gloves and eye/face protection. S 45 - In case of accident or if you feel unwell, seek medical advice immediately. S61 - Avoid release to the environment. Refer to special instruction / material safety data sheet.

SECTION 16 - OTHER INFORMATION

Alert workers to this hazardous potential and ensure precautions are taken. In cases of any discomfort always seek medical advice.

All information is given in good faith but without guarantee in respect of accuracy. No responsibility is accepted for error of omission or the consequences thereof.